Case Construction *621 State Street*
NACustomerRelations@casece.com *Racine, Wisconsin 53404*
866-542-2736 x1

(40XT) - CASE SKID STEER LOADER (1/01-) > (08-12) - VALVE ASSY, CONTROL - SPOOLS AND DETENTS, LOADER



Case Construction 621 State Street
NACustomerRelations@casece.com Racine, Wisconsin 53404
866-542-2736 x1

(40XT) - CASE SKID STEER LOADER (1/01-) > (08-12) - VALVE ASSY, CONTROL - SPOOLS AND DETENTS, LOADER

Diag #	Part #	Name	Description	Qty
	409062A2	VALVE	Control; Loader; Two Spool; Incl. 1 - 31; Incl. 08-08; If Used	1
	87427899	VALVE	Control; Incl. 1 - 31; Replaces 409062A2, NA Models ASN JAF0396765, European Models ASN JAF0375996	1
	87431787	VALVE	Control; Incl. 1 - 31; Replaces 87427899	1
	388170A2	SPOOL	Lift, With Manual Detent; Incl. 1 - 8; Used With 409063A1	1
	436749A1	SPOOL	Lift, With Manual Detent; Incl. 1 - 8; Replaces 388170A3; Used With 409062A2	1
	87427902	SPOOL	Lift, With Manual Detent; Replaces 388170A3; Incl. 1 - 4, 5A, 6 - 8; Used With 87427899, 87431787	1
1	NSS	NOT SOLD SEPARAT	Spool; Loader Lift	1
2	1994608C1	O-RING,0.737" ID x 0.943" OD x 0.103"	O-RING,0.737" ID x 0.943" OD x 0.103"	1
3	G102711	RETAINER COLLAR,19.3 mm ID x 32.97 mm OD	RETAINER COLLAR,19.3 mm ID x 32.97 mm OD	1
4	375708A1	SPRING WASHER	SPRING WASHER	1
5	380571A1	TENSION SPRING	TENSION SPRING	1
5A	1994596C1	SPRING	Centering; Used With 87427899, 87431787	1
6	375707A1	RETAINER	RETAINER	1
	383471A1	STUD ASSY; Manual Detent; Not Serviced As An Assembly; Order Components; Incl. 7 - 8	STUD ASSY; Manual Detent; Not Serviced As An Assembly; Order Components; Incl. 7 - 8	1
7	383472A1	DETENT	Use Loctite	1
	345-601	LOCTITE	No. 203, 1 ml	1
8	237-6003	O-RING,0.064" Thk x 0.301" ID, -903, Cl 6, 90 Duro	O-RING,0.064" Thk x 0.301" ID, -903, Cl 6, 90 Duro	1
	388173A2	SPOOL	Loader Bucket; Auxiliary; Incl. 9 - 14; Used With 409063A1	1
	388173A4	SPOOL	Loader Bucket; Auxiliary; Incl. 9 - 14; Replaces 388173A3; Used With 409062A2	1
	87427904	SPOOL	Loader Bucket; Auxiliary; Replaces 388173A3; Incl. 9 - 11, 12A, 13, 14; Used With 87427899, 87431787	1
9	NSS	NOT SOLD SEPARAT	Spool	1
10	1994608C1	O-RING,0.737" ID x 0.943" OD x 0.103"	O-RING,0.737" ID x 0.943" OD x 0.103"	1
11	G102711	RETAINER COLLAR,19.3 mm ID x 32.97 mm OD	RETAINER COLLAR,19.3 mm ID x 32.97 mm OD	1
12	380571A1	TENSION SPRING	TENSION SPRING	1

Diag #	Part #	Name	Description	Qty
12A	1994596C1	SPRING	Centering; Used With 87427899, 87431787	1
13	375708A1	SPRING WASHER	SPRING WASHER	2
14	100-1647	SNAP RING,#47, Ext	SNAP RING,#47, Ext	1
15	411874A2	SOLENOID	Spool Lock; Incl. 16; Used With 409062A2, 87427899	1
15	87429888	SOLENOID VALVE	Spool Lock; Incl. 16A; Used With 87431787	1
16	237-6006	O-RING,0.078" Thk x 0.468" ID, -906, Cl 6, 90 Duro	O-RING,0.078" Thk x 0.468" ID, -906, Cl 6, 90 Duro	1
16A	237-8006	O-RING,0.078" Thk x 0.468" ID, -906, Cl 8, 90 Duro	3/8 OD	1
17	411875A2	SOLENOID	Spool Lock; Incl. 18; Used With 409062A2, 87427899	1
17	87429889	SOLENOID VALVE	Spool Lock; Incl. 18A; Used With 87431787	1
18	237-6006	O-RING,0.078" Thk x 0.468" ID, -906, Cl 6, 90 Duro	O-RING,0.078" Thk x 0.468" ID, -906, Cl 6, 90 Duro	1
18A	237-8006	O-RING,0.078" Thk x 0.468" ID, -906, Cl 8, 90 Duro	3/8 OD	1
19	1994608C1	O-RING,0.737" ID x 0.943" OD x 0.103"	O-RING,0.737" ID x 0.943" OD x 0.103"	2
20	65457C1	SEAL,19.04mm ID x 25.5mm OD x 3.17mm Thk	SEAL,19.04mm ID x 25.5mm OD x 3.17mm Thk	2
21	417360A1	BLOCK	Used With 409062A2, 87427899, 87431787	1
22	238-5027	O-RING,0.07" Thk x 1.301" ID, -27, Cl 5, 75 Duro	O-RING,0.07" Thk x 1.301" ID, -27, Cl 5, 75 Duro	1
23	409916A1	PLUG	Incl. 24	2
24	237-6006	O-RING,0.078" Thk x 0.468" ID, -906, Cl 6, 90 Duro	O-RING,0.078" Thk x 0.468" ID, -906, Cl 6, 90 Duro	1
25	399853A1	TENSION SPRING	Detent	2
26	211-1007	BALL,7/32" Dia	Gr 24, CRS	2
27	9625178	PLUG,9/16" - 18 ORB	PLUG,9/16" - 18 ORB	1
28	G107780	VALVE, CHECK	VALVE, CHECK	2
29	375714A2	CAP	Centering Spring; Use Loctite	1
	B17423	LOCTITE	Loctite, No. 271; 50 ml	1
30	814-6080	BOLT,Hex, M6 x 1 x 80mm, Cl 8.8	BOLT,Hex, M6 x 1 x 80mm, Cl 8.8	2
31	895-11006	WASHER,6.6mm ID x 12mm OD x 1.6mm Thk	WASHER,6.6mm ID x 12mm OD x 1.6mm Thk	2